



FEATURES

- Rechargeable Lithium-polymer battery
- Capacity: 25.000mAh | 3.7V | 92Wh
- Two input ports; for charging via USB Type-C or micro USB port
- Input USB Type-C port: 5V - 3.0A; 9V - 2.0A
- Input Micro USB port: 5V - 3.0A; 9V - 2.0A
- Triple USB output for simultaneous charging of devices
- Output USB ports: 5V - 3.0A; 9V - 2.0A; 12V - 1.5A
- USB Type-C: 5V - 3.0A; 9V - 2.0A; 12V - 1.5A
- USB Type-C Power Delivery max. 18W
- USB-C Power Delivery enabled with fast charge technology, LED indicator, overvoltage protection, overcharge protection, discharge protection and short circuit fuse
- Charging cycles: >500
- Weight: approx. 430g
- Dimensions: approx. 203 x 95 x 14mm
- USB Type-C and USB to micro USB charging cable included
- Color: black

APPLICATIONS

- Ideal for charging PD enabled devices, such as e.g. laptops
- Perfect and reliable energysource for your smartphone, tablet or other mobile device
- Perfect for simultaneous charging of devices
- Also suitable for charging portable game consoles, such as e.g. Nintendo Switch™

User manual | Warranty conditions | Operating- and safety instructions:

Please download the user manual, warranty conditions and operating- and safety instructions for MediaRange Powerbank (Item No.: MR754) [here](#).

Notes:

To use USB-C Power Delivery, you need an appropriate USB-C charging cable (not included to delivery) and your device need to support the Power Delivery fuction: For further information, please refer to your device's user manual. USB-C™ and USB Type-C™ are trademarks of the

MediaRange GmbH. All brands and product names referenced in here are property of their respective owners and referred to descriptive purposes only.

MediaRange GmbH
Geschäftsführung: Markus Speer, Max Eckhardt

Straße: Zum Quellenpark 29
Ort: D - 65812 Bad Soden

Tel.: +49 (0)61 965 2381 80
Fax: +49 (0)61 965 2381 89

Internet: www.mediarange.de
E-Mail: info@mediarange.de

EAN Code Piece:4260459616627

EAN Code Carton:4260459616634